



IFW 1764

Navy Case No. 82363

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

BRIAN STOUT ET AL.

Examiner: VIRGINIA MANOHARAN

Serial No.: 09/810,714

Art Unit: 1764

Filed: March 19, 2001

For: HIGH TEMPERATURE PELTIER EFFECT WATER DISTILLER

Commissioner for Patents

Alexandria, VA 22313-1450

RESPONSE TO NON-COMPLIANT AMENDMENT OF AUGUST 2, 2004

**CERTIFICATE OF TRANSMISSION (37 C.F.R.1.6(d) and (1.8))**

*I hereby certify that these papers, along with any paper referred to as being attached or enclosed, were mailed to the Commissioner for Patents, Alexandria, VA 2313-1450 at the United States Patent & Trademark Office, on the date shown below:*

By:

Brenda Phillips

Date: 8-26-04

RECEIVED  
SEP - 3 2004  
O.I.P.E./JCW/S

Navy Case No. 82363

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

BRIAN STOUT ET AL.

Examiner: VIRGINIA MANOHARAN

Serial No.: 09/810,714

Art Unit: 1764

Filed: March 19, 2001

For: HIGH TEMPERATURE PELTIER EFFECT WATER DISTILLER


Hon. Commissioner of Patents and Trademarks  
Washington, D.C. 20231

Sir:

In response to the Notice of Non-Compliant Amendment dated August 2, 2004, please replace the section entitled "Amendments to the Drawings," and the annotated and replacement drawing sheets previously submitted with the amendment filed on June 29, 2004, with the enclosed "Amendments to the Drawings" section and drawing sheets.

The new annotated drawing sheet now has the heading "Annotated Marked-up Drawing" and the new replacement sheet has the heading "Replacement Sheet." These changes should correct the non-compliance.

Respectfully submitted,



JAMES T. SHEPHERD  
Attorney of Record  
Registration No. 43,917

J Shepherd  
COASTSYSSTA DAHLGREN DIV NSWC  
Panama City, FL 32407-7001  
(850) 234-4646  
26 August 2004

Amendments to the Drawings:

The attached sheet of drawings includes a change to the only figure of the drawings. This sheet replaces the original sheet of the only figure of the drawings. In the only figure of the drawings an omitted reference character 30' has been added.

Attachments: Replacement Sheet

Annotated Sheet Showing Change In Red